

# SAATI Hydrogen

High Precision PFAS-Free Fabrics & Components Made of PEEK & PPS for Hydrogen Applications


# —SAATI

SAATI Hydrogen Brochure

Company Information	<u>02</u>
Customer Focus	<u>04</u>
Hydrogen Value Chain	<u>06</u>
Our Focus	<u>08</u>
Inside Cell Stacks	<u>10</u>
Technical Fabrics in Energy Systems	<u>12</u>
Precision Weaving	<u>14</u>
Materials	<u>16</u>
Our Products	<u>18</u>
Fabricated Components	<u>20</u>
Sustainability	<u>22</u>
Interactive Product Index	24
Contact Information	Bac

Engage with SAATI

SAATI S.p.A. Via Milano, 14-22070 Appiano Gentile (CO), Italy | www.saati.com



SAATI produces many products for all types of markets that find their way into the daily life of billions of people. We are leaders in both process and microfiltration, screen printing, and personal and vehicular multithreat protection products.

# Over Eighty Years of Innovative Action

SAATI is a multinational group with corporate headquarters that have been situated in northern Italy since 1935. Today SAATI is a leading force in the development, manufacturing and commercialization of high tech filter media & chemicals.

SAATI's passion and creativity are the foundation for an unsurpassed tradition of continuous innovation in the filtration markets. This endless pursuit is what drives SAATI's dedicated customer-centric R&D to functionalize products beyond simple filtration.

SAATI's wide range of synthetic textiles and fabricated parts in Polyester, Nylon, Polypropylene, PEEK and PPS are the ideal engineered solution for demanding microfiltration applications.


Through specialized processing and rigorous inspection, SAATI ensures consistent lot quality across tolerances, uniformity, strength, stability, and cleanliness for applications with pore sizes from 7 to 3,000 microns.

# Perfecting the Art of Precision Woven Fabrics

With over 1,000 employees spread across multiple facilities worldwide, and a strong established track record in innovation and manufacturing excellence, SAATI's mission is to improve the life of every person every day – through working with both customers and partners to create a safer, healthier and cleaner world.

To guarantee product reliability, SAATI constantly runs tests and has all of the stritctest and most up to date certifications that validate the consistency, performance, quality and characteristics of each item.

Specific SAATI fabrics are tested and certified in accordance with USP CLASS VI/ISO 10993 Regulations, and these fabrics are inspected and transformed into customized shapes in Class 10,000/ISO Class 7 Clean Rooms in accordance with UNI ISO 9001 regulations.




# Customer Driven Innovation

Thanks to a direct presence in many countries, it is easy for customers to reach out, wherever they are located, and the response is always prompt. SAATI staff has a high level of technical expertise and dedication, and is always aiming to find the best solution for the customer's requirements.

SAATI sales representatives and engineers understand their customers' applications, working closely with staff in both the production and R&D departments to offer the customized solutions that best meets their needs.

The quality of SAATI's products is backed by the dedication and expertise of SAATI's customer service. Thanks to offices, warehouses, storage and fabrication facilities throughout the world, SAATI provides strong local support, expert responses to customer inquiries, strong engineering capability, technical support and fast delivery around the world.

# SAATI in the Hydrogen Value Chain




# Our Focus

PFAS-Free Components for the Generation of Hydrogen From Water and Energy

- . Alkaline Water Electrolyser
- . PEM/AEM Water Electrolyser




# Inside the Application




# Membrane Reinforcement

Membranes require a mechanical reinforcement to withstand the necessary high pressure. SAATI offers solutions in PEEK & PPS monofilament woven meshes that can fulfill this function.



# Technical Fabrics in Energy Systems



SAATI Monofilament woven fabric

Membrane Manufacturing


Reinforced Membrane

- SAATI's woven meshes play a vital role in energy conversion and storage systems
- They find application in electrolyser stacks, serving as feed channel spacers or as mechanical reinforcement within the membrane
- The woven fabrics act as support in thin film composite membranes, enhancing their properties through casting, lamination, or coating

SAATI Americas Corp


# Precision in Weaving and Mechanical Stability


- SAATI differentiates itself by weaving precise monofilaments, resulting in fabrics with accurate mesh openings and surface planarity
- This precision is ideal for membrane preparation: a careful yarn selection produces fabrics with high open area and uniform thickness
- The tailored open area can enhance membrane transport properties when used as reinforcement
- Despite high porosity, SAATI's fabrics exhibit high mechanical resistance due to the use of exclusive high tenacity monofilaments
- The manufacturing process, involving weaving and thermosetting, ensures stability of thread interlacing, providing resilience in both warp and weft directions












# Tailored Solutions for Challenging Environments

- SAATI addresses challenges in high-temperature environments by offering fabrics in advanced polymers like PPS (Polyphenylene Sulfide) and PEEK (Polyether Ether Ketone)
- These materials withstand high temperatures and demonstrate excellent chemical resistance in harsh electrolysis environments






# **Our Products**

- SAATI pioneers the hydrogen generation market with advanced PPS and PEEK mesh solutions
- SAATI is actively researching and developing new mesh technologies to meet the evolving demands for reduced thickness in this market


# Alkaline Water Electrolyser


• SAATIfil PPS 145/50 – 100 µm thickness



# PEM/AEM Water Electrolyser

- SAATIfil PEEK 105/55 65 µm thickness
- SAATIfil PEEK 195/75 65  $\mu m$  thickness
- SAATIfil PEEK 220/60 105  $\mu m$  thickness





# **Fabricated Components**

SAATI not only designs and produces precision woven fabrics but has the ability to engineer them into finished or partly finished products. Thanks to processing equipment and long experience, SAATI provides fabrics cut-to-fit, lot-to-lot consistency and high quality custom fabricated parts, in almost any requested shape.

# Ribbons

SAATImotion fabrics can be economically slit using heat or, if a tighter tolerance and improved edge quality are needed, the fabrics can be ultrasonically slit.

Production Technology involved: Heat, Ultrasonics.



# Tubes - Cut to Length

For all applications requiring molded cylindrical filters, SAATI offers fabrics tubes and rectangles with two open ends, cold or laser cut to length.

Many applications can accept the quality of a cold cut tube in view of its economic advantage.

On the contrary, if the component must have one end sealed and one end open, SAATI is able to combine the two technologies in the same process and supply tubes with one ultrasonically sealed end.

Ultrasonic technology is also applied to the realization of rectangle filters.

Production technology involved: Cold (Die-Cut), Heat, Ultrasonic.



# **Continuous Tubes**

Two layers of filter media are simultaneously slit with heated blades to form a continuous tube.

Ultrasonically welded tubular ribbons, although similar in construction to heat slit items, can be produced in a wide range of sizes, including very small ones.

Two or more narrow layers can be attached using ultrasonic slitting, a fine filtration media can be supported or protected with a coarser one.


Production Technology involved: Heat, Ultrasonics.



# **Pleated Components**

Mono or Multi-layer pleated components such as pack, ribbon and cartridges, can be manufactured for all applications requiring high filtration capacity in a narrow space.

Production technology involved: Heat And Ultrasonics.




# Shapes

Cold or Laser cut parts can be provided in almost any shape or size with nominal dimensional quality.

One or more layers of fabrics can be ultrasonically cut or sealed into virtually any shape using a CNC plotter, assuring a faithful reproduction of design.


Production Technology involved: Cold (Die-Cut), Ultrasonics, Laser.



**SAATI Americas Corp** 

# Sustainable Fabric Solutions

- The implementation of PFAS-free membrane reinforcements is critical in response to ECHA and other regulations aimed at reducing the use of per- and polyfluoroalkyl substances due to their effects on health and the environment
- Non-PTFE-based membrane reinforcements address the need for more sustainable solutions that comply with directives prohibiting the use of PFAS
- SAATI's focus on materials like PEEK and PPS aligns with sustainable guidelines, providing fluorine-free solutions
- Co-developed PEEK and PPS monofilaments enable fabric production with thicknesses below 100 µm, reducing environmental risks associated with (per)fluorinated chemicals



# **Interactive Product Index**

# A Alkaline Water Electrolyser 008, 018 $\mathbf{C}$ Casting **012** Chemical Resistance 016 Class 10,000 Clean Room 003 Clean Rooms 003 Coating 012 Continuous Tubes 020 Cut Shapes 021 Cylindrical Filter 020 E Electrolyser 018 Fabricated Components 020 Feed Channel Spacers **012** fluorine-free 022 H Heat Slit 020 Hydrogen Value Chain 006 ISO 10993 003 ISO Class 7 Clean Room 003

```
R
                                     Reinforcement 011
Lamination 012
                                     Ribbon 020
Laser Cut 020
M
                                     S
                                     Surface Planarity 014
Materials 003
                                     Sustainability 022
Mechanical Reinforcement 012
Mechanical Resistance 014
                                     T
Membrane Reinforcement 011
                                     Temperature 016
Mesh Opening 014
                                     Thermosetting 014
Monofilament 014
                                     Thickness 018, 022
0
                                     Thin Film Composite Membrane 012
Open Area 014
                                     Tubes 020
                                     U
PEEK 016, 018
                                     Ultrasonic Slit 020
PEEK 105/55 019
                                     Ultrasonic Welding 020
PEEK 195/75 019
                                     Uniform Thickness 014
                                     UNI ISO 9001 003
PEEK 220/60 019
PEM/AEM Water Electrolyser 008, 019
                                     USP CLASS VI 003
PFAS-Free 008, 022
                                     W
Pleated Cartridges 021
                                     Water Electrolysis 006
Pleated Components 021
                                     Weaving 014
Polyether Ether Ketone 016
                                     Woven Fabric 012
Polyphenylene Sulfide 016
Pore Size 003
PPS 016, 018
PPS 145/50 018
```

# **Notes**

Take notes before you contact your **Local SAATI rep** 

# SAATI S.p.A. -

# **World Headquarters**

Via Milano 14 22070 Appiano Gentile Italy Phone: +39 031 9711 info.IT@saati.com

### **SAATI France S.A.S**

74 Route de Bapaume - Sailly-Saillisel 80360 - France Phone: +33 3 22 85 77 00 saatifrance@saati.com

## SAATI Serigrafia Iberica S.A.U.

P.I. "El Mijares" c/Industria 13 – 12550 Almazora (Castellon) – Spain Phone: +34 964550688 info.ES@saati.com

## **SAATI Americas Corp.**

201 Fairwiew Street Ext.- Fountain Inn - South Carolina 29644 - USA Phone: +1 (864) 601-8300 info.US@saati.com

## SAATI Technical Fabric (Tianjin) CO. Ltd

Cross of Saida 2nd Branch Road, Saida Century Avenue, Xiqing Ec.Dev. Area – Tianjin – China **Phone:** +86 22 23960843 **info.CN@saati.com** 

### **OOO SAATI Russia**

Shvetsova Street, 23 house, 198095, St. Petersburg, Russia Phone: +79 062788343 info.RU@saati.com

### SAATI Korea Ltd

SK Ventium 101–601 – Dangjeong-dong, Gosan-ro 166, Gunpo-si, Gyeonggi-do, South Korea, Zip 15850 **Phone:** + 82 31 429 9337

Phone: + 82 31 429 933. info.KR@saati.com

### **SAATI**

### **Deutschland GmbH**

Ostring 22 - D-46348 Raesfeld - Germany Phone: +49 2865 95800 info.DE@saati.com

## SPT - Sales + Marketing GmbH

Kurpfalzring 100a - 69123 Heidelberg - Germany **Phone:** +49 62 21 | 77 876-27 **info.DE@saati.com** 

### **CST Colour Scanner Technology GmbH**

Koenigsberger Str. 117 - 47809 Krefeld - Germany

**Phone:** +49-2151-1592260

office@c-s-t.de

### SAATI Advanced Chemicals LLC

201 Fairwiew Street Ext.- Fountain Inn – South Carolina 29644 – USA Phone: +1 (218) 628-2217 info@ikonics.com

### WuXi TianYi Precision Fabrics Co., Ltd.

No. 28, Xigang West Road, Donghutang, Donggang Town, Xishan District, Wuxi City - China **Phone:** +86 510-88791064 **info.CN@saati.com**